

PRODUCT DESCRIPTION

- Bendable within a small radius
- Minimalist form
- Beautiful proportions

FINISH :

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main or decorative lighting

Assembly

- suspended or mounted to the surface using dedicated accessories
- in the groove using a dedicated technical profile

Additional information

- line of light obtainable with the G-K and G-L covers
- separate end caps for each type of cover
- GIZA profile is intended for two or one 10 mm wide LED tape
- two tapes provide uniform illumination of the cover over its entire width
- LED tape gluing width in the profile is 22 mm - can be combined into strings using ZM connectors
- covers with rectangular or semi-circular cross-section can be used
- linear fixture with IP67 protection possible
- IP67 possible with LIGER-22, MUN-22 and HS-22 covers

Profile bending with covers: LIGER-22, HS-22.

Minimum internal radius	Minimum external radius
200 mm	200 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,
- internal radius - refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius - refers to the extrusion bent so that the cover is facing the outside of the arch,

- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).

Line of light





- ✓ = Line of Light
- X = Visible dotting

Profile:	LED Model:	HS/HS-12/HS-22 frosted	Liger/Liger-22 frosted	Liger/Liger-22 black	G-K / G-L frosted
GIZA					
	1210	X	X	X	✓ for 1 row only
	1220	X	X	X	✓
	1275	X	X	X	✓
	0530	X	X	X	✓
	1910	X	X	X	✓
	1820	X	✓ (Hot line for both 1 or 2 rows)	X	✓


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B5556ANODA_1	Silver anodized	1000 mm
B5556ANODA_2	Silver anodized	2000 mm
B5556ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING




GIZA profile and AM-24 mounting bracket
profil GIZA z mocownikiem AM-24




GIZA profile with G-K cover and AM-24 mounting bracket
profil GIZA z osłoną G-K oraz mocownikiem AM-24




GIZA profile with G-L cover and AM-24 mounting bracket
profil GIZA z osłoną G-L oraz mocownikiem AM-24




GIZA profile and GIP mounting bracket
profil GIZA z mocownikiem GIP




GIZA profile with G-K cover and GIP mounting bracket
profil GIZA z osłoną G-K oraz mocownikiem GIP




GIZA profile with G-L cover and GIP mounting bracket
profil GIZA z osłoną G-L oraz mocownikiem GIP




GIZA profile and REGIP-UV mounting bracket
profil GIZA z mocownikiem REGIP-UV




GIZA profile and REGIP-UV mounting bracket
profil GIZA z mocownikiem REGIP-UV




GIZA profile and REGIP-UV mounting bracket
profil GIZA z mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV



GIZA profile with G-K cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV




GIZA profile with G-K cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV




GIZA profile with G-K cover and REGIP-UV mounting bracket
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV


RELATED PROFILES




TEKNIK-ZM Profile
Ref: C0399



TEKUS Profile
Ref: B6638V1



TEKUS-ZM Profile
Ref: C1293




TEKNIK-ZM-TK
Profile
Ref: C1554

RELATED PRODUCTS

COVERS

BLACK COVERS




LIGER-22 black
Cover
Ref: 17087


90°



CLEAR COVERS




G-L clear Cover
Ref: 17006




HS-22 clear Cover
Ref: 17022

FROSTED COVERS




LIGER-22 frosted
Cover
Ref: 17032V1

110°




HS-22 frosted Cover
Ref: 17011

100°




G-K frosted Cover
Ref: 17007




G-L frosted Cover
Ref: 00413

SEMI-TRANSPARENT COVERS




MUN-22 semi-transparent Cover
Ref: 17042

100°



G-K semi-transparent Cover
Ref: 00415

120°



G-L semi-transparent Cover
Ref: 17008

120°



END CAPS

REGULAR END CAPS



GIL metalized End cap
Ref: 24035



GIZAT metalized End cap
Ref: 24036



GIZA metalized End cap
Ref: 24131



GIZA grey End cap
Ref: 24007



GIL grey End cap
Ref: 24029




GIZAT grey End cap
Ref: 24030

ACCESSORIES


FASTENERS & MOUNTING ACCESSORIES



REGIP-UV Mounting bracket
Ref: 24271



GIP Mounting bracket
Ref: 24332




AM-24 Mounting bracket
Ref: 24235



GIP-UV Mounting bracket
Ref: 24310



GIP-UV black
Mounting bracket
Ref: 24328



GP Spring
Ref: 00293



BZP-ZO Head
Ref: 42214



BZP-ZZ Head
Ref: 42215



BZP Head
Ref: 42213



FI-8-LIN-ZMZ
Fastener silver
Ref: 42286



PUSZ-PRET-ZM
Fastener
Ref: 42250



PUSZ-LIN-ZM
Fastener silver
Ref: 42275



PUSZ-PRET-ZM
black Fastener
Ref: 42276L9005



PUSZ-LIN-MR
Fastener black
Ref: 42278L9005



FI-10-ZM-P
Fastener
Ref: 42244



FI-10-ZM-W
Fastener
Ref: 42242



FI-8-LIN-ZMZ
Fastener black
Ref: 42286L9005



FI-8-LIN-ZM
Fastener black
Ref: 42285L9005



FI-8-LIN-ZM
Fastener silver
Ref: 42285



PUSZ-LIN-ZM
Fastener
Ref: 42256



PUSZ-LIN-ZM
Fastener black
Ref: 42275L9005



PUSZ-PRET-ZM
Fastener silver
Ref: 42276




DP Fastener
Ref: 00644




DP-ZZ Fastener
Ref: 00651



DP-ZO Fastener
Ref: 00649



UCHO-ZM Hanger
Ref: 42512




UCHO-ZM black
Hanger
Ref: 42525



TEKNIK Latch
Ref: 24003


COMPONENTS FOR CONNECTING PROFILES




ZM-180
Connector
Ref: 42717




ZM-60-G
Connector
Ref: 42304




ZM-PION-60
Connector
Ref: 42316




ZM-Y120-G
Connector
Ref: 42336




ZM-X90-G
Connector
Ref: 42334




ZM-X60-G
Connector
Ref: 42332




ZM-X45-G
Connector
Ref: 42330



ZM-T90-G
Connector
Ref: 42328



ZM-T60-G
Connector
Ref: 42326




ZM-T45-G
Connector
Ref: 42324




ZM-PION-120
Connector
Ref: 42320




ZM-PION-45
Connector
Ref: 42314




ZM-135-G
Connector
Ref: 42310




ZM-120-G
Connector
Ref: 42308




ZM-90-G
Connector
Ref: 42306




ZM-45-G
Connector
Ref: 42338




X135 LIPOD
Coupler
Ref: _




L90PZ LIPOD
Coupler
Ref: _




L90PW LIPOD
Coupler
Ref: _




L135 LIPOD
Coupler
Ref: _




L135PZ LIPOD
Coupler
Ref: _




ZM-120
Connector
Ref: 42728




L135PW LIPOD
Coupler
Ref: _




ZM-90 Connector
Ref: 42716




T135L LIPOD
Coupler
Ref: _




ZM-PION-90
Connector
Ref: 42718




T135R LIPOD
Coupler
Ref: _




ZM-135
Connector
Ref: 42720



T90 LIPOD
Coupler
Ref: _



X90 LIPOD
Coupler
Ref: _



ZM-PION-135
Connector
Ref: 42719



ZM-MINI-180
Connector
Ref: 44501

MOUNTING SETS



W1 Fastener set
Ref: 42602



W2 Fastener set
Ref: 42603



W6 Fastener set
Ref: 42604



W7 Fastener set
Ref: 42605




M11 Fastener set
Ref: 42609




M12 Fastener set
Ref: 42610



M13 Fastener set
Ref: 42611



ZM-150 Fastener
Ref: 42118



ZM-500 Fastener
Ref: 42119



RD-1 Fastener set
black
Ref: 42658L9005



RG-1 Fastener set
black
Ref: 42647L9005



RG-1 Fastener set
silver
Ref: 42647NI




RD-1 Fastener set
silver
Ref: 42658NI



RD-1 Fastener set
white
Ref: 42658L9010



RD-1 Fastener set
silver satin
Ref: 42658GSS



RD-2 Fastener set
silver
Ref: 42653NI



RD-3 Fastener set
silver satin
Ref: 42659GSS



RD-4 Fastener set
silver
Ref: 42657NI



RD-2 Fastener set
white
Ref: 42653L9010



RD-2 Fastener set
silver satin
Ref: 42653GSS



RD-3 Fastener set
black
Ref: 42659L9005



RD-3 Fastener set
white
Ref: 42659L9010



RD-4 Fastener set
black
Ref: 42657L9005



RG-1 Fastener set
silver satin
Ref: 42647GSS

SEALING COMPONENTS



Gland 6,4x3
Ref: 42264

ISOLATING BASES




Fi-3 Isolating
bases
Ref: 42203



Fi-5 Isolating
bases
Ref: 42204




Fi-6 Isolating
bases
Ref: 42205




ARMSTRONG
Isolating bases
Ref: 42712


ADDITIONAL ITEMS



MP-22 white
Masking cover
Ref: 17167L9010




MP-22 Masking
cover black
Ref: 17167L9005




MP-22 metallized
Masking cover
Ref: 17167

LED TAPES


WHITE




LED strip K-1210-24V
Ref: K-1210-24V




LED strip K-1220-12V
Ref: K-1220-12V




LED strip K-1220-24V
Ref: K-1220-24V




LED strip K-1275-12V
Ref: K-1275-12V



LED strip K-1820-HD-24V
Ref: K-1820-HD-24V



LED strip K-1910-HD-24V
Ref: K-1910-HD-24V



LED strip WP-K-1640-HD-IP65-24V
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V
Ref: WP-K-1210-24V




Taśma LED WP-K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-K-1275-24V
Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V
Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V
Ref: WP-K-1220-IP65-12V




LED strip WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V

CRI 95+




LED strip WP-K-CR-1210-24V
Ref: WP-K-CR-1210-24V

LONG RUN




LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V


RGB / RGB-W




LED strip K-1275-
RGB-12V
Ref: K-1275-
RGB-12V




LED strip K-1275-
RGB-24V
Ref: K-1275-RGB-24V




LED strip K-1920-
RGB+W-24V
19.2W/m
Ref: K-1920-
RGB+W-24V




LED strip WP-K-1275-
RGB-12V
Ref: WP-K-1275-
RGB-12V




LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V




LED strip WP-K-1530-
RGB+W-24V
Ref: WP-K-1530-
RGB+W-24V




LED strip K-1215-
RGB-12V
Ref: K-1215-
RGB-12V



LED strip K-1215-
RGB-24V
Ref: K-1215-RGB-24V



LED strip K-1225-
RGB-12V
Ref: K-1225-
RGB-12V



LED strip K-1225-
RGB-24V
Ref: K-1225-RGB-24V




LED strip WP-
K-1215-RGB-12V
Ref: WP-K-1215-
RGB-12V




LED strip WP-K-1215-
RGB-24V
Ref: WP-K-1215-
RGB-24V




LED strip WP-
K-1225-RGB-12V
Ref: WP-K-1225-
RGB-12V



LED strip WP-K-1225-
RGB-24V
Ref: WP-K-1225-
RGB-24V




LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V




LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V



LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V



LED strip WP-
K-22/50-1728-24V
Ref: WP-
K-22/50-1728-24V



LED strip WP-
K-30/18-1770-24V
Ref: WP-
K-3018-1770-24V

MARKETING MATERIALS



Display
P230-90080M
Ref: 90080M



Display
P230-90120M
Ref: 90120M



Display
P230-90097
Ref: 90097



Presentation set 2
Ref: 90052