


## PRODUCT DESCRIPTION

- Smooth profile walls
- Bendable without breaking the line of light
- Beautiful proportions
- Minimalist form

### FINISH :

Silver anodized Black anodized 

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

## TECHNICAL SPECIFICATION

### Application

- decorative lighting.

### Assembly

- suspended using dedicated accessories,
- to the surface with bolts.

### Additional information

- line of light obtainable with the LIGER-22 cover and a LED tape with at least 120 LEDs per meter,
- GLAZA-LL profile is intended for two or one 10 mm wide LED tape,
- two tapes provide uniform illumination of the cover over its entire width,
- LED tape gluing width in the profile is 21 mm,
- cover and profile are equally long,
- broken line of light possible with the MP-22 masking cover,
- can be combined into strings using ZM connectors, small locks inside the profile,
- linear fixture with IP67 protection possible,
- IP67 possible with LIGER-22, MUN-22 and HS-22 covers.

### Profile bending

Minimum radius for a bent fixture shining inwards

Minimum radius for a bent fixture shining outwards


400 mm	300 mm
--------	--------

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,
- internal radius - refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius - refers to the extrusion bent so that the cover is facing the outside of the arch,
- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).

## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2627ANODA_1	Silver anodized	1000 mm
C2627ANODA_2	Silver anodized	2000 mm
C2627ANODA_3	Silver anodized	3000 mm
C2627K7_1	Black anodized	1000 mm
C2627K7_2	Black anodized	2000 mm
C2627K7_3	Black anodized	3000 mm


## TECHNICAL DRAWING



## RELATED PRODUCTS


### COVERS

#### BLACK COVERS




LIGER-22 black  
Cover  
Ref: 17087

#### CLEAR COVERS




HS-22 clear Cover  
Ref: 17022

#### FROSTED COVERS



LIGER-22 frosted  
Cover  
Ref: 17032V1


#### SEMI-TRANSPARENT COVERS



MUN-22 semi-  
transparent Cover  
Ref: 17042

### END CAPS


#### REGULAR END CAPS



GLAZA-LL  
metalized End  
cap  
Ref: 24377



GLAZA-LL grey  
end cap  
Ref: 24368



GLAZA-LL black  
End cap  
Ref: 24385

## ACCESSORIES

### FASTENERS & MOUNTING ACCESSORIES



BZP-ZO Head  
Ref: 42214



BZP-ZZ Head  
Ref: 42215



BZP Head  
Ref: 42213



FI-8-LIN-MR  
Fastener silver  
Ref: 42287



FI-8-LIN-MR  
Fastener black  
Ref: 42287L9005



PUSZ-LIN-MR  
Fastener  
Ref: 42258



PUSZ-PRET-MR  
Fastener  
Ref: 42252



PUSZ-LIN-MR  
Fastener silver  
Ref: 42278



PUSZ-LIN-MR  
Fastener black  
Ref: 42278L9005



PUSZ-PRET-MR  
Fastener silver  
Ref: 42281



PUSZ-PRET-MR  
Fastener black  
Ref: 42281L9005



DP Fastener  
Ref: 00644



DP-ZO Fastener  
Ref: 00649




DP-ZZ Fastener  
Ref: 00651


### COMPONENTS FOR CONNECTING PROFILES




ZM-180  
Connector  
Ref: 42717




ZM-PION-135  
Connector  
Ref: 42719




ZM-135  
Connector  
Ref: 42720




ZM-PION-90  
Connector  
Ref: 42718




ZM-90 Connector  
Ref: 42716




ZM-120  
Connector  
Ref: 42728




ZM-45-G  
Connector  
Ref: 42338




ZM-60-G  
Connector  
Ref: 42304




ZM-90-G  
Connector  
Ref: 42306



ZM-120-G  
Connector  
Ref: 42308



ZM-135-G  
Connector  
Ref: 42310



ZM-PION-45  
Connector  
Ref: 42314



ZM-PION-120  
Connector  
Ref: 42320



ZM-MINI-180  
Connector  
Ref: 44501

#### MOUNTING SETS



RG-1 Fastener set  
black  
Ref: 42647L9005



RG-1 Fastener set  
silver  
Ref: 42647NI



RG-1 Fastener set  
white  
Ref: 42647L9010




RG-1 Fastener set  
silver satin  
Ref: 42647GSS

#### SEALING COMPONENTS




6x1,2 Gland  
Ref: 00802


ADDITIONAL ITEMS



MP-22 white  
Masking cover  
Ref: 17167L9010




MP-22 Masking  
cover black  
Ref: 17167L9005




MP-22 metallized  
Masking cover  
Ref: 17167

LED TAPES


WHITE




LED strip K-1210-24V  
Ref: K-1210-24V




LED strip  
K-1220-12V  
Ref: K-1220-12V




LED strip K-1220-24V  
Ref: K-1220-24V



LED strip  
K-1275-12V  
Ref: K-1275-12V



LED strip K-1820-  
HD-24V  
Ref: K-1820-HD-24V



LED strip K-1910-  
HD-24V  
Ref: K-1910-HD-24V




LED strip WP-K-1640-  
HD-IP65-24V  
Ref: WP-K-1640-HD-  
IP65-24V




LED strip WP-  
K-1210-12V  
Ref: WP-  
K-1210-12V




LED strip WP-  
K-1210-24V  
Ref: WP-K-1210-24V




Taśma LED WP-  
K-1220-12V  
Ref: WP-K-1220-12V




LED strip LED WP-  
K-1220-24V  
Ref: WP-K-1220-24V




LED strip WP-  
K-1275-24V  
Ref: WP-  
K-1275-24V



Taśma LED WP-K-1910-  
HD-IP65-24V  
Ref: WP-K-1910-HD-  
IP65-24V




LED strip WP-  
K-1220-IP65-12V  
Ref: WP-K-1220-  
IP65-12V




LED strip WP-K-1220-  
IP65-24V  
Ref: WP-K-1220-  
IP65-24V

LONG RUN




LED strip K-  
LR-1000-24V  
Ref: K-  
LR-1000-24V

CRI 95+



LED strip WP-K-  
CR-1210-24V  
Ref: WP-K-  
CR-1210-24V


RGB / RGB-W




LED strip K-1275-  
RGB-12V  
Ref: K-1275-RGB-12V




LED strip K-1920-  
RGB+W-24V  
19.2W/m  
Ref: K-1920-  
RGB+W-24V




LED strip WP-K-1275-  
RGB-12V  
Ref: WP-K-1275-  
RGB-12V




LED strip K-1530-  
RGB+W-24V  
Ref: K-1530-  
RGB+W-24V




LED strip WP-K-1530-  
RGB+W-24V  
Ref: WP-K-1530-  
RGB+W-24V




LED strip K-1215-  
RGB-12V  
Ref: K-1215-  
RGB-12V



LED strip K-1215-  
RGB-24V  
Ref: K-1215-RGB-24V



LED strip K-1225-  
RGB-12V  
Ref: K-1225-  
RGB-12V




LED strip K-1225-  
RGB-24V  
Ref: K-1225-RGB-24V




LED strip WP-  
K-1215-RGB-12V  
Ref: WP-K-1215-  
RGB-12V




LED strip WP-K-1215-  
RGB-24V  
Ref: WP-K-1215-  
RGB-24V




LED strip WP-  
K-1225-RGB-12V  
Ref: WP-K-1225-  
RGB-12V



LED strip WP-K-1225-  
RGB-24V  
Ref: WP-K-1225-  
RGB-24V




LED strip  
K-1920-120- RGB-24V  
19.2W/m  
Ref: K-1920-120-  
RGB-24V




LED strip WP-  
K-1920-120- RGB-24V  
Ref: WP-K-1920-120-  
RGB-24V


#### TUNABLE WHITE / DIM TO WARM




LED strip  
K-22/50-1728-24V  
Ref:  
K-22/50-1728-24V



LED strip  
K-30/18-1770-24V  
Ref:  
K-30/18-1770-24V



LED strip WP-  
K-22/50-1728-24V  
Ref: WP-  
K-22/50-1728-24V



LED strip WP-  
K-30/18-1770-24V  
Ref: WP-  
K-3018-1770-24V

#### MARKETING MATERIALS



Display  
P230-90215M  
Ref: 90215M



Foam 70497  
Ref: 70497