


## PRODUCT DESCRIPTION

- Narrow line of light flush with the surface
- Designed for 12 mm thick drywall
- The lighting fixture can go from a built-in one into a suspended one
- Quick installation of LED tapes from the 8-KLIK series
- Invisible aluminum elements

### FINISH :

Non anodized (raw) 

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

## TECHNICAL SPECIFICATION

### Application

- for creating narrow linear or polygonal fixtures built into drywall.

### Assembly

- bolted to drywall.


### Additional information

- the line of light can be obtained with a cover and a LED tape with at least 120 LEDs per meter,
- PDS-T profile is intended for one 14 mm wide LED tape,
- the cover is cut to the length of the profile,
- can be connected into strings using ZM connectors,
- transition from a built-in lighting fixture into a suspended one made with the PDS-ZM-PLUS profile,
- TECH-KA protective insert can be used to protect the inside of the profile from contamination during assembly.

## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2057_1	Non anodized (raw)	1000 mm
C2057_2	Non anodized (raw)	2000 mm
C2057_3	Non anodized (raw)	3000 mm

TECHNICAL DRAWING



**RELATED PROFILES**




PDS-ZM-PLUS  
Profile  
Ref: C2056

## RELATED PRODUCTS

### COVERS

#### BLACK COVERS




LIGER black Cover  
Ref: 17040


#### CLEAR COVERS




KA clear Cover  
Ref: 17036



HS clear Cover  
Ref: 1370



KA-COM clear  
Cover  
Ref: 17122



KA-PRO clear  
Cover  
Ref: 17065


#### FROSTED COVERS




KA frosted Cover  
Ref: 17035



KA-PRO frosted  
Cover  
Ref: 17064



HS frosted Cover  
Ref: 1369



KA-COM frosted  
Cover  
Ref: 17121



LIGER frosted  
Cover  
Ref: 17037

### END CAPS

#### REGULAR END CAPS




PDS-ZM-PLUS  
grey End cap  
Ref: 24364

## ACCESSORIES


### COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90  
Connector  
Ref: 42723



ZM-NA-135  
Connector  
Ref: 42725




ZM-NA-180  
Connector  
Ref: 42724




ZM-NA-PION-135  
Connector  
Ref: 42727




ZM-NA-PION-90  
Connector  
Ref: 42726



ZM-NA-45  
Connector  
Ref: 42339



ZM-NA-PION-120  
Connector  
Ref: 42321



ZM-NA-PION-60  
Connector  
Ref: 42317




ZM-NA-PION-45  
Connector  
Ref: 42315

### SEALING COMPONENTS




6x1,2 Gland  
Ref: 00802



TECH-KA  
protective insert  
Ref: 17123

## LED TAPES




LED strip 8K-WP-  
K-1210-12V  
Ref: 8K-WP-  
K-1210-12V




LED strip 8K-WP-  
K-1210-24V  
Ref: 8K-WP-  
K-1210-24V



LED strip 8K-WP-  
K-1220-12V  
Ref: 8K-WP-  
K-1220-12V



LED strip 8K-WP-  
K-1220-24V  
Ref: 8K-WP-  
K-1220-24V



LED strip 8K-WP-  
K-1275-12V  
Ref: 8K-WP-  
K-1275-12V



LED strip 8K-WP-  
K-1275-24V  
Ref: 8K-WP-  
K-1275-24V

## MARKETING MATERIALS



Display  
P230-90206M  
Ref: 90206M



Display  
P230-90218M  
Ref: 90218M