


Ref. arch 18009



#### **TECHNICAL DRAWING**

1:3



# 

- Mounting track
- Compartment for driver and electrical components
- Easy maintenance

#### APPLICATION

- mounting of power supplies and electronic components

#### MOUNTING

- to the surface, using a dedicated mounting track and properly selected screws

#### ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm /

KLUŚ<sub>©</sub> Inspiring Solutions

- 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm) - when choosing a different length of profiles / covers than available in the standard, you
- should additionally choose the cutting service at KLUŚ

## **TECHNICAL SPECIFICATIONS**

Material	aluminum	
Color	silver anodized	
Possible fixture IP	20	
Possible fixture shapes	rectangular	
Profile cross-section	rectangular	
Width	49.9 mm	
Height	72 mm	
Compartment for power supply	yes	
Building type	Other, Commercial, Residential, HoReCa object	
Facility zone	office, communication routes and corridors, parking i garaż, industrial and technical, conference room	

Length	Ref
1000 mm	A18009A_1 18009ANODA_1
2005 mm	A18009A_2 18009ANODA_2
3010 mm	A18009A_3 18009ANODA_3



SAMPLE PROJECTS





#### **RELATED ACCESSORIES > RELATED END CAPS**

NAME		MATERIAL	COLOR	REF.
BOX	N.	PP	gray	C20117C02 00314

#### RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR SURFACE



W-BOX-Z C28253N00 Ref. arch 00643

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD **45-ST** C28111N00 Ref. arch 42210

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER






GLAND

**6x1,2** C24517C07 Ref. arch 00802



**19x1,6** C24519C07 Ref. arch 00820

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



# RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



MOUNTING PAD 45 Z70457 Ref. arch 70457