

# Profile GLADES Ref. A18036

Ref. arch 18036



#### **TECHNICAL DRAWING**





- Smooth profile back
- Glare rating UGR < 19 possible
- Space for power supply and electronic components
- Designed for IP54 protection rating
- Easy maintenance
- Wide range of accessories

#### APPLICATION

- main and decorative lighting

#### MOUNTING

- suspended or to the surface, using a dedicated mounting track, dedicated accessories or properly selected screws
- can be easily connected into runs and systems

#### ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

#### **TECHNICAL SPECIFICATIONS**

Material	aluminum		
Color	silver anodized		
Possible fixture IP	54		
Possible fixture shapes	rectangular		
Profile cross-section	rectangular		
Width	52.5 mm		
Height	83.1 mm		
LED gluing width A	49.7 mm		
Number of LED strips A (8 mm wide)	6		
Compartment for power supply	yes		
Possibility of obtaining a line of light	yes		
Building type	Outdoor, Commercial, Retail		
Facility zone	office, urban architecture, conference room, lobby / foyer		
The cover is cut to the length of the profile	yes		
Can be easily connected into runs	yes		
Wire out back of extrusion	yes		

Length	Ref		
1000 mm	A18036A_1 18036ANODA_1		
2005 mm	A18036A_2 18036ANODA_2		
3010 mm	A18036A_3 18036ANODA_3		



Profile GLADES Ref. A18036 Ref. arch 18036



#### SAMPLE PROJECTS



#### **RELATED ACCESSORIES > RELATED COVERS**

NAME	MATERIAL	MATERIAL TRANSMITTANCECOLOR		REF.
DHS	PC	73 %	frosted	B17052M 17052
		94 %	clear	B17052T 17063
JUN-47	PMMA	92 %	clear	B17059P 17059

#### **RELATED ACCESSORIES > RELATED END CAPS**

NAME		MATERIAL	COLOR	REF.
DESIN		PP	silver	C24151L01 24151
			black	C24151C02 24348
DES		stainless steel	steel	C28209A01 <sup>42616</sup>
DES-HQ		aluminum	gray	C28218AS 42626

#### RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES

Ref. arch 18036





FASTENER **PUSZ-LIN-ZD** C28164N00, C28164L10, C28164L07 Ref. arch 42279, 42279L9010, 42279L9005



FASTENER **PUSZ-PRET-ZD** C28167N00, C28167L10, C28167L07 Ref. arch 42282, 42282L9010, 42282L9005

#### RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR **ZM-NA-120** C28242N00 Ref. arch 42729

#### RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD BZP C28113N00 Ref. arch 42213



RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER

C28193N00

Ref. arch 42513



GLAND 6x1,2 C24517C07 Ref. arch 00802



https://klusdesign.eu/en, info@klus.pl KLUŚ Sp. z o.o., ul. Słoneczna 126, 05-506 Kolonia Lesznowola

# **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SECURITY AND BLOCKS**



C28195N00 Ref. arch 42521

BLOCK

ZD

Profile GLADES

Ref. A18036 Ref. arch 18036

> C28194N00 Ref. arch 42520

### **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS**

#### FASTENER SET RG-1 C28230P00, C28230P01, C28230L10, C28230L07 Ref. arch 42647NI, 42647GSS, 42647L9010, 42647L9005

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



MOUNTING PAD **45** Z70457 Ref. arch 70457



