

Profile KOZEL-50 Ref. A00757

Ref. arch C0757



TECHNICAL DRAWING

1:2



- Mounting to drywall
- Line of light flush with the surface
- High lumen output
- Non visible aluminum elements

APPLICATION

- main and decorative lighting

MOUNTING

- in drywall, with mounting adhesive
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-50 protective insert should be used

KLUŚ_® Inspiring Solutions

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL SPECIFICATIONS

| Material | aluminum | | |
|---|--|--|--|
| Color | silver non anodized | | |
| Possible fixture IP | 20, 65 | | |
| Possible fixture shapes | polygonal | | |
| Profile cross-section | rectangular | | |
| Width | 90 mm | | |
| Height | 25 mm | | |
| LED gluing width A | 42 mm | | |
| Number of LED strips A (8 mm wide) | 5 | | |
| Building type | Commercial, Retail, Entertainment/ Arts, HoReCa object | | |
| Facility zone | office, communication routes and corridors, lobby / foyer, conference room | | |
| The cover is cut to the length of the profile | yes | | |
| Can be easily connected into runs | yes | | |
| Mounting to drywall | yes | | |
| To cover with plaster | yes | | |

| Length | Ref | | |
|---------|------------------------|--|--|
| 1000 mm | A00757N_1 C0757NA_1 | | |
| 2005 mm | A00757N_2 C0757NA_2 | | |
| 3010 mm | A00757N_3 C0757NA_3 | | |

Profile KOZEL-50 Ref. A00757

yes

Ref. arch C0757

Wire out back of extrusion



SAMPLE PROJECTS



RELATED ACCESSORIES > RELATED COVERS

| NAME | | | MATERIAL | MATERIAL TRANSMITTANCECOLOR | | REF. |
|----------|-------|------------------|----------|-----------------------------|---------|------------------|
| LIGER-50 | | - | PC | 70 % | frosted | B17086M 17086 |
| | | | | B17086MOP 170860P | | |
| 31 % | black | B17086C 17089 | | | | |

RELATED ACCESSORIES > RELATED END CAPS

| NAME | MATERIAL | COLOR | REF. |
|----------|----------|-------|--------------------|
| KOZEL-50 | PP | gray | C24280C02 24280 |

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



6,4x3 C42264C07 Ref. arch 42264


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS





MASKING COVER **MP-50** C28263L01_1, C28263L10_1, C28263L07_1, C28263L10_1, 17172L9010, 17172L9010, 17172L9005

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



PROTECTIVE INSERT **TECH-50** C24532C02 Ref. arch 17125