


# Profile KOZEL

Ref. A06454

Ref. arch B6454



- Mounting to drywall
- Line of light flush with the surface
- Non visible aluminum elements

## APPLICATION

- main and decorative lighting


## MOUNTING

- in drywall, with mounting adhesive
- can be easily connected into runs and systems

## ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-22 protective insert should be used
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver non anodized
Possible fixture IP	20, 65
Possible fixture shapes	polygonal
Profile cross-section	rectangular
Width	66.8 mm
Height	24.5 mm
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	3
Building type	Residential, Commercial, HoReCa object
Facility zone	kitchen, communication routes and corridors
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Mounting to drywall	yes
To cover with plaster	yes
Wire out back of extrusion	yes

Length	Ref
1000 mm	A06454N_1 B6454NA_1
2005 mm	A06454N_2 B6454NA_2
3010 mm	A06454N_3 B6454NA_3


# Profile KOZEL

Ref. A06454

Ref. arch B6454

**KLUŚ** Inspiring  
Solutions

## SAMPLE PROJECTS







# Profile KOZEL


Ref. A06454

Ref. arch B6454

## RELATED ACCESSORIES > RELATED COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER-22		PC	62 % <input type="checkbox"/> frosted	B17032M 17032V1
			B17032M 17032V1TOP	39 % <input checked="" type="checkbox"/> black
HS-22		PC	73 % <input type="checkbox"/> frosted	B17011M 17011
			94 % <input checked="" type="checkbox"/> clear	B17011T 17022
G-K		PMMA	88 % <input checked="" type="checkbox"/> semi-transparent	B17013F 17016
			72 % <input type="checkbox"/> frosted	B17013M 17013
			24 % <input checked="" type="checkbox"/> black	B17013C 17014
G-L		PMMA	47 % <input type="checkbox"/> frosted	B17203M 00413
			69 %	B17006M 17010
			85 % <input checked="" type="checkbox"/> semi-transparent	17008 17008
			95 % <input checked="" type="checkbox"/> clear	B17006T 17006
			85 % <input checked="" type="checkbox"/> semi-transparent	B17006F 17017
			30 % <input checked="" type="checkbox"/> black	B17006C 17012
MUN-22		PC	86 % <input checked="" type="checkbox"/> semi-transparent	B17042F 17042

## RELATED ACCESSORIES > RELATED END CAPS


NAME	MATERIAL	COLOR	REF.	
KOZEL		PP	gray	C24034C02 24034

## RELATED ACCESSORIES > RELATED LED

# Profile KOZEL

Ref. A06454

Ref. arch B6454




**K-1210-12V**  
K-1210-12  
Ref. arch K-1210-12V



**K-1275-12V**  
K-1275-12  
Ref. arch K-1275-12V




**WP-K-1220-12V**  
KWP-1220-12  
Ref. arch WP-K-1220-12V



**WP-K-1275-12V**  
KWP-1275-12  
Ref. arch WP-K-1275-12V




**WP-K-1220-IP65-12V**  
\_błąd  
Ref. arch WP-K-1220-IP65-12V




**K-1275-RGB-12V**  
K-RGB-1275-12  
Ref. arch K-1275-RGB-12V


## RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




**K-HE-0480-HD-24V**  
K-HEHD-0480-24  
Ref. arch K-HE-0480-HD-24V



**K-HE-0960-HD-24V**  
K-HEHD-0960-24  
Ref. arch K-HE-0960-HD-24V



**K-HE-1440-HD-24V**  
K-HEHD-1440-24  
Ref. arch K-HE-1440-HD-24V



**K-HE-1920-HD-24V**  
K-HEHD-1920-24  
Ref. arch K-HE-1920-HD-24V


## RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT




**K-1530-RGB+W-24V**  
K-RGBW-1530-24  
Ref. arch K-1530-RGB+W-24V



**WP-K-1530-RGB+W-24V**  
KWP-RGBW-1530-24  
Ref. arch WP-K-1530-RGB+W-24V



**K-1920-120-RGB-24V**  
K-RGB-1920-120-24  
Ref. arch K-1920-120-RGB-24V



**WP-K-1920-120-RGB-24V**  
KWP-1920-120-RGB-24  
Ref. arch WP-K-1920-120-RGB-24V

## RELATED ACCESSORIES > RELATED LED > WHITE MONO

# Profile KOZEL

Ref. A06454

Ref. arch B6454



**WP-K-1640-HD-IP65-24V**  
KWP-GHD-1640-24  
Ref. arch WP-K-1640-HD-IP65-24V



**WP-K-1910-HD-IP65-24V**  
KWP-GHD-1910-24  
Ref. arch WP-K-1910HDIIP6524V



**WP-K-1220-IP65-24V**  
KWP-1220-IP65-24  
Ref. arch WP-K-1220-IP65-24V

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS




CONNECTOR  
**ZM-180**  
C28075N00  
Ref. arch 40693




CONNECTOR  
**ZM-NA-120**  
C28242N00  
Ref. arch 42729


## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > COUPLERS




COUPLER  
**L135PW**  
L135PW




COUPLER  
**L135**  
L135




COUPLER  
**L135PZ**  
L135PZ



COUPLER  
**L90**  
L90



COUPLER  
**L90PW**  
L90PW



COUPLER  
**L90PZ**  
L90PZ