

# Fastener M4-12

Ref. C28118N00, C28118C10, C28118C07

Ref. arch 42246, 42246L9010, 42246L9005



- Lengthwise suspension on a wire
- Easy suspension height adjustment


## APPLICATION

- for suspending LED lighting fixtures

## MOUNTING

- to the lighting fixture, using a screw (included)
- to the wire, using a block

## TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

Material	stainless steel, brass, nylon
Width	18 mm
Height	36.5 mm
Lifting capacity	20 kg

Color	Ref
■ silver chrome	C28118N00 42246
□ white lacquered	C28118C10 42246L9010
■ black lacquered	C28118C07 42246L9005

# Fastener M4-12


Ref. C28118N00, C28118C10, C28118C07

Ref. arch 42246, 42246L9010, 42246L9005

## SAMPLE PROJECTS



## RELATED PROFILES > FOR MAIN LIGHTING




**MOD-100**  
A18049A  
Ref. arch 18049




**MOD-50**  
A18047  
Ref. arch 18047

## RELATED SYSTEMS > GENERAL LIGHTING SYSTEMS



**MOD-100**  
18049



**MOD-50**  
18047

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > WIRES AND RODS

# Fastener M4-12

Ref. C28118N00, C28118C10, C28118C07

Ref. arch 42246, 42246L9010, 42246L9005



LINKA STALOWA

**FI-1 1m**

C24522N00

Ref. arch 1397