



Cover MUN-22

Ref. B17042F

Ref. arch 17042



- Recommended for bent profiles

APPLICATION

- LED protection and light diffusion in lighting fixtures

MOUNTING

- to the profile, by pressing

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Color	semi-transparent
Material	PC
Shape	flat
Maximum length on request	10000 mm
Light transmission	86 %
Width	21.8 mm
Height	4 mm
Possibility of obtaining a line of light	yes
Possibility of twisting	yes
Possibility of bending	yes


Length	Ref
1000 mm	B17042F_1 17042_1
2005 mm	B17042F_2 17042_2
3010 mm	B17042F_3 17042_3

Cover MUN-22

Ref. B17042F

Ref. arch 17042

RELATED PROFILES > ARCHITECTURAL




DIPOK-US
A01233
Ref. arch H1233



DIPOKET
A01177
Ref. arch H1177



GIZA
A05556
Ref. arch B5556



GIZA-DUO-LL
A02162
Ref. arch C2162



GIZA-LL
A00758
Ref. arch C0758



GIZA-LL-T
A02479
Ref. arch C2479




GIZA-LL-UST
A02724N
Ref. arch C2724




GLAZA-DUO
A03059
Ref. arch C3059



GLAZA-LL
A02627
Ref. arch C2627




KOZEL
A06454
Ref. arch B6454




KOZUS
A07823
Ref. arch B7823



KOZUS-CR
A00600
Ref. arch C0600




LARKO
A05552
Ref. arch B5552



LIPOD
A05554
Ref. arch B5554



LOC-30
A18015
Ref. arch 18015



LOKOM
A05553
Ref. arch B5553



OPAC-30
A06164
Ref. arch B6164

RELATED PROFILES > FACADE

Cover MUN-22

Ref. B17042F

Ref. arch 17042




FASKO

A04323

Ref. arch C4323

RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



KIDES-DUO

A18032

Ref. arch 18032




WERKIN

A18025

Ref. arch 18025

RELATED PROFILES > STAIRS ILLUMINATION



STEPUS

A18038

Ref. arch 18038