
Ref. arch C1168





#### **TECHNICAL DRAWING**



















Minimum width and height

- Easy maintenance
- Wide range of accessories
- Small bending radius

### **APPLICATION**

- furniture and decorative lighting

#### **MOUNTING**

- to the surface, suspended or recessed, using a dedicated mounting track, dedicated accessories, or mounting adhesive
- can be easily connected into runs and systems

#### **ADDITIONAL INFORMATION**

- for suspending small-size profiles, it is recommended to use a wire with a diameter of 0.5  $\,$  mm  $\,$
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm$  1.5 mm) and 2005 mm / 3010 mm (tolerance  $\pm$  5 mm); for selected covers: 6050 mm, 10050 mm (tolerance  $\pm$  5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## **TECHNICAL SPECIFICATIONS**

Material	aluminum		
Possible fixture IP	20, 67		
Possible fixture shapes	rectangular		
Profile cross-section	rectangular		
Width	10 mm		
Height	9.7 mm		
LED gluing width A	7 mm		
Possibility of twisting	yes		
Possibility of obtaining a line of light	yes		
Possibility of bending	yes		
Minimum external radius	120 mm		
Minimum internal radius	220 mm		
Building type	Residential, Commercial, HoReCa object		
Facility zone	kitchen, bathroom, furniture, office, advertising / POS, conference room		
The cover is cut to the length of the profile	yes		
Can be easily connected into runs	yes		


Color	Length	Ref	
	1000 mm	<b>A01168A_1</b> C1168ANODA_1	
silver anodized	2005 mm	<b>A01168A_2</b> C1168ANODA_2	
	3010 mm	A01168A_3 C1168ANODA_3	
	1000 mm	<b>A01168A07_1</b> C1168K7_1	
black anodized	2005 mm	<b>A01168A07_2</b> C1168K7_2	
	3010 mm	<b>A01168A07_3</b> C1168K7_3	



<b>KLUŚ</b> <sub>®</sub>	Inspiring Solutions

Wire out end cap	yes	
Wire out back of extrusion	yes	
Possibility of bending in the light plane	yes	

## **SAMPLE PROJECTS**







## PDF\_KSZTALTY\_REFERENCYJNE







### **RELATED PROFILES > MOUNTING TRACKS**



**TEPIKO** A18046 Ref. arch 18046



PIKO-ZM

PIKO-ZM-OTW



C24307C02

C24307C07

C24307C02TW

C24307C07TW

gray

black

gray

black

#### **RELATED ACCESSORIES > RELATED COVERS**

NAME			MATERIAL	MATERIAL TRANSMITTANCECOLOR		REF.
BENCO-7	NEW		silikon	58 %	☐ frosted	B17069M 17069
PIKO			РММА	57 %	☐ frosted	B17034M <sub>17034</sub>
RELATED ACCESSORIES > RELATED END CAPS						
NAME			MATERIAL		COLOR	REF.

ABS

ABS

10

## RELATED ACCESSORIES > RELATED LED > WHITE MONO



**5K-WP-K-1091-24V** KWP-5K-1091-24 Ref. arch 5K-WP-K-1091-24V

### RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07
Ref. arch 42286, 42286L9010,
42286L9005

Ref. arch C1168



#### **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS**



CONNECTOR **ZM-60** C28243N00 Ref. arch 42736

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



FASTENER K-10-WP C28236N00 Ref. arch 42671



FASTENER
K-10-WL
C28237N00
Ref arch 42672



FASTENER K-10-PP C28235N00 Ref. arch 42670



FI-8-LIN-ZM C28170N00, C28170L10, C28170L07 Ref. arch 42285, 42285L9010, 42285L9005



FASTENER FI-10-ZM-W C28116N00 Ref. arch 42242



FASTENER
FI-10-ZM-P
C28117N00
Ref. arch 42244



FASTENER

UCHO-ZM

C28192N00, C28192L07

Ref. arch 42512, 42525



FASTENER
FI-8-PRET-ZM
C28189
Ref. arch 42347

### **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES**



TEKNIK C24003C10

Ref. arch C1168



#### **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS**



MOUNTING BRACKET K-10 C24340C00 Ref. arch 24340



FASTENER SET NEO-ZM-3 C28105N00 Ref. arch 42127



FASTENER SET NEO-ZM-4 C28106N00 Ref. arch 42128

#### **RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER**



GLAND **6,4x3** C42264C07 Ref. arch 42264

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET **RD-1** C28231 Ref. arch 42658NI, 42658GSS, 42658L9005, 42658L9010



FASTENER SET **RG-1** C28230P00, C28230P01, C28230L10, C28230L07 Ref. arch 42647NI, 42647GSS, 4264719010, 42647L9005



FASTENER SET **RD-2** C28232P00, C28232P01, C28232L10, C28232L07 Ref. arch 42653NJ, 42653GSS, 42653L9010, 42653L9005



FASTENER SET **RD-3**C28233P00, C28233P01, C28233L10, C28233L10, C28233L10, C2823L10, 42659L9010, 42659L9005



FASTENER SET **RD-4** C28234P00, C28234P01, C28234L10, C28234L07 Ref, arch 42657T0SO, 42657L9010, 42657L9OSO,