

# Profile POKET

Ref. A01179

Ref. arch H1179

NEW



IP20

- Linear gallery, stage or exhibition lighting
- The lighting fixture integrates with the mounting surface
- Hidden light source
- Lighting angle: 50 Degrees
- Mounting to 12,5 mm - 0.49" drywall
- Stable mounting to a suspended ceiling

## APPLICATION

- decorative lighting and functional

## MOUNTING


- in drywall, with screws
- can be easily connected into runs and systems

## ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-KA protective insert should be used
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm 1.5$  mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING

1:2



## TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20
Possible fixture shapes	linear
Width	92 mm
Height	44.2 mm
Number of LED strips A (8 mm wide)	1
Lighting at an angle	50
Possibility of obtaining a line of light	yes
Building type	Retail, Entertainment/ Arts
Facility zone	wall lighting, shop windows and exhibition
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Mounting to drywall	yes
To cover with plaster	yes
Wire out back of extrusion	yes




Color	Length	LED gluing width A	Ref
■ silver non anodized	1000 mm	11 mm	A01179N_1 H1179NA_1
	2005 mm	12 mm	A01179N_2 H1179NA_2
	3010 mm		A01179N_3 H1179NA_3
□ white lacquered	1000 mm	12 mm	A01179L100D_1 H1179L90100D_1
	2005 mm		A01179L100D_2 H1179L90100D_2
	3010 mm		A01179L100D_3 H1179L90100D_3

# Profile POKET

Ref. A01179

Ref. arch H1179

## SAMPLE PROJECTS



## RELATED ACCESSORIES > RELATED COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LENZO	NEW	PC	46.6 %	clear	B17112T 17112
HS		PC	73 %	frosted	B17208M 1369
			94 %	clear	B17208T 1370
KA		PC	63 %	frosted	B17035M 17035
			91 %	clear	B17035T 17036
LIGER		PC	70 %	frosted	B17037M 17037
			32 %	black	B17037C 17040
KA-PRO		PC	67 %	frosted	B17064M 17064
			94 %	clear	B17064T 17065
KA-COM		PVC	70 %	frosted	B17179M 17179
			93 %	clear	B17179T 17180

## RELATED ACCESSORIES > RELATED END CAPS

NAME		MATERIAL	COLOR	REF.
POKET	NEW	PP	gray	C24460C02 24460
			white	C24460C10 24463

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS

# Profile POKET

Ref. A01179

Ref. arch H1179



CONNECTOR  
**ZM-NA-120**  
C28242N00  
Ref. arch 42729



CONNECTOR  
**ZM-45**  
C28070N00  
Ref. arch 40688