

# Profile STOS-ALU

Ref. A04369

Ref. arch B4369



- Minimum height
- Smooth profile walls
- Small bending radius

## APPLICATION

- furniture, under-cabinet and decorative lighting


## MOUNTING

- to the surface, using a dedicated mounting track, mounting adhesive, properly selected screws or double-sided adhesive tape

## ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm 1.5$  mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20, 67
Width	31 mm
Height	7 mm
LED gluing width A	13.1 mm
Number of LED strips A (8 mm wide)	1
Possibility of bending	yes
Minimum external radius	250 mm
Minimum internal radius	200 mm
Building type	Residential, HoReCa object
Facility zone	kitchen, furniture, shop windows and exhibition
Wire out back of extrusion	yes

Length	Ref
1000 mm	A04369A_1 B4369ANODA_1
2005 mm	A04369A_2 B4369ANODA_2
3010 mm	A04369A_3 B4369ANODA_3

# Profile STOS-ALU

Ref. A04369

Ref. arch B4369

## SAMPLE PROJECTS



## RELATED PROFILES > MOUNTING TRACKS



**TEST-36**  
A06639  
Ref. arch B6639



**TEST-74**  
A04507  
Ref. arch W4507

## RELATED ACCESSORIES > RELATED COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
HS-12	PC	73 %	<input type="checkbox"/> frosted	B17201M 00157
		94 %	<input checked="" type="checkbox"/> clear	B17201T 00158
KA-PRO-12	PC	74 %	<input type="checkbox"/> frosted	B17066M 17066
		94 %	<input checked="" type="checkbox"/> clear	B17066T 17067
KA-12	PC	69 %	<input type="checkbox"/> frosted	B17078M 17078
		94 %	<input checked="" type="checkbox"/> clear	B17078T 17079

## RELATED ACCESSORIES > RELATED END CAPS


NAME	MATERIAL	COLOR	REF.
STOS-ALU	PP	<input checked="" type="checkbox"/> gray	C20108C02 00085
		<input checked="" type="checkbox"/> silver	C20108L01 24065

# Profile STOS-ALU

Ref. A04369

Ref. arch B4369

## RELATED ACCESSORIES > RELATED LED



### K-1210-12V

K-1210-12  
Ref. arch K-1210-12V




### K-1275-12V

K-1275-12  
Ref. arch K-1275-12V



### WP-K-1220-12V

KWP-1220-12  
Ref. arch WP-K-1220-12V




### WP-K-1275-12V

KWP-1275-12  
Ref. arch WP-K-1275-12V



### WP-K-1220-IP65-12V

\_błąd  
Ref. arch WP-K-1220-IP65-12V



### K-1275-RGB-12V

K-RGB-1275-12  
Ref. arch K-1275-RGB-12V

## RELATED ACCESSORIES > RELATED LED > CRI 95+



### WP-K-CR-1210-24V

KWP-CR-1210-24  
Ref. arch WP-K-CR-1210-24V




### WP-K-CR-1220-24V

KWP-CR-1220-24  
Ref. arch WP-K-CR-1220-24V



### WP-K-CR-1275-24V

KWP-CR-1275-24  
Ref. arch WP-K-CR-1275-24V




### K-CR-1210-24V

K-CR-1210-24  
Ref. arch K-CR-1210-24V




### K-CR-1220-24V

K-CR-1220-24  
Ref. arch K-CR-1220-24V




### K-CR-1275-24V

K-CR-1275-24  
Ref. arch K-CR-1275-24V



### K-CR-1820-HD-24V

K-CRHD-1820-24  
Ref. arch K-CR-1820-HD-24V



### K-CR-1910-HD-24V


K-CRHD-1910-24  
Ref. arch K-CR-1910-HD-24V

## RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY

# Profile STOS-ALU

Ref. A04369


Ref. arch B4369



**K-HE-0480-HD-24V**

K-HEHD-0480-24


Ref. arch K-HE-0480-HD-24V



**K-HE-0960-HD-24V**

K-HEHD-0960-24


Ref. arch K-HE-0960-HD-24V



**K-HE-1440-HD-24V**

K-HEHD-1440-24

Ref. arch K-HE-1440-HD-24V



**K-HE-1920-HD-24V**

K-HEHD-1920-24

Ref. arch K-HE-1920-HD-24V


## RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



**K-1530-RGB+W-24V**

K-RGBW-1530-24


Ref. arch K-1530-RGB+W-24V



**K-1920-120-RGB-24V**

K-RGB-1920-120-24

Ref. arch K-1920-120-RGB-24V



**WP-K-1920-120-RGB-24V**

KWP-1920-120-RGB-24

Ref. arch WP-K-1920-120-RGB-24V

## RELATED ACCESSORIES > RELATED LED > WHITE MONO



**WP-K-1910-HD-IP65-24V**

KWP-GHD-1910-24

Ref. arch WP-K-1910HDIP6524V

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES

# Profile STOS-ALU

Ref. A04369

Ref. arch B4369



LATCH

**TEKNIK**

C24003C10

Ref. arch 24003

---

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND

**6x1,2**

C24517C07

Ref. arch 00802

---

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > REGULAR END CAPS



END CAP


**STOS-ALU**

C20108C02, C20108L01

Ref. arch 00085, 24065

---

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS



SPRING

**PDS**

C24501N00

Ref. arch 00800