

Fastener W-BOX-Z

Ref. C28253N00

Ref. arch 00643

- Mounting to mounting tracks
- Longitudinal suspension for rods and wires
- Single pole conductivity possible

APPLICATION


- attachment to profiles hiding power supplies and electronics for LED lighting fixture suspension systems

MOUNTING

- to the profile wall, using the included accessory kit



TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	stainless steel
Color	■ silver
Width	16 mm
Height	62 mm
Diameter	9.6 mm


Working temperature	60°C
Lifting capacity	30 kg
Maximum current	8 A
Loss of voltage	0.12 V

Fastener W-BOX-Z

Ref. C28253N00

Ref. arch 00643

RELATED PROFILES > FOR MAIN LIGHTING



DES

A18030

Ref. arch 18030

RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



IKON

A18013

Ref. arch 18013



IMET

A18012

Ref. arch 18012




KIDES

A18031

Ref. arch 18031


RELATED PROFILES > MOUNTING TRACKS



BOX

A18009

Ref. arch 18009




NIBO

A18010

Ref. arch 18010

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > WIRES AND RODS




LINKA STALOWA

FI-1 1m

C24522N00


Ref. arch 1397



ROD

FI-3 1m


42501



ROD

100 PUSZ 1 m

42518



ROD

FI-3 53 cm

C24528N00

Ref. arch 1528



WIRE

CU FI 0,95 mm

Z70240

Ref. arch 70240

Fastener W-BOX-Z

Ref. C28253N00

Ref. arch 00643



ROD

FI-3-ALU

C28196A01, C28196A07

Ref. arch 42526, 42527, 42528, 42529