

# Connector ZM-X60

Ref. C28080N00

Ref. arch 40698

NEW




- Possibility to manually adjust the sections of the profile to be joined

## APPLICATION

- crossing lighting fixtures at an angle of 60 degrees

## MOUNTING

- to the profile, with a small lock and pressure screws (included)



## TECHNICAL SPECIFICATIONS

Material	stainless steel
Color	 silver
Thickness	1.2 mm

Corrosion resistance	yes
Joining angle	60°

## RELATED PROFILES > ARCHITECTURAL



**LARKO**  
A05552  
Ref. arch B5552



**LOKOM**  
A05553  
Ref. arch B5553




**LIPOD**  
A05554  
Ref. arch B5554



**GIZA**  
A05556  
Ref. arch B5556



**OPAC-30**  
A06164  
Ref. arch B6164



**KOZEL**  
A06454  
Ref. arch B6454



**KOZUS**  
A07823  
Ref. arch B7823



**3035-O**  
A08441  
Ref. arch B8441



**JAZ**  
A08547  
Ref. arch B8547



**OPK-4**  
A00370  
Ref. arch C0370

# Connector ZM-X60

Ref. C28080N00


Ref. arch 40698



**GIZA-LL**  
A00758  
Ref. arch C0758



**PDS-T**  
A02057  
Ref. arch C2057



**GIZA-DUO-LL**  
A02162  
Ref. arch C2162



**GIZA-LL-T**  
A02479  
Ref. arch C2479



**GIZA-LL-UST**  
A02724N  
Ref. arch C2724




**PDS-UST**  
A02725  
Ref. arch C2725


## RELATED PROFILES > FOR MAIN LIGHTING




**LARKO-50**  
A00756  
Ref. arch C0756



**KOZEL-50**  
A00757  
Ref. arch C0757



**KOZUS-50**  
A00958  
Ref. arch C0958



**LIPOD-50**  
A02609  
Ref. arch C2609

## RELATED PROFILES > MINIMALISTIC



**PIKO-ZM**  
A01168  
Ref. arch C1168



**KOZEL-10**  
A01575  
Ref. arch C1575

# Connector ZM-X60

Ref. C28080N00

Ref. arch 40698

## RELATED PROFILES > STRETCH CEILINGS



**FOLED**  
A08332V1  
Ref. arch B8332V1



**FOLED-50**  
A03632  
Ref. arch C3632

---

## RELATED PROFILES > UNIVERSAL



**OLEK**  
A08505  
Ref. arch B8505



**PDS-ZMG**  
A01418  
Ref. arch C1418



**PDS-ZM-PLUS**  
A02056  
Ref. arch C2056